

MEDTEL WN  
FLOOR DIVISION

# AL BAYT STADIUM FLOOR DIVISION WORKS













# AL THUMAMA STADIUM FLOOR DIVISION WORKS





- Floor System : FL.302 Non Slip in Situ Polyurethane Floor Resin RAL. 9010
- Floor Type : Concrete




- Floor System : FL.302 Non Slip in Situ Polyurethane Floor Resin RAL. 9010
- Floor Type : Concrete



- Floor System : FL.302 Non Slip in Situ Polyurethane Floor Resin RAL. 9010
- Floor Type : Concrete



- Floor System : FL.301 Non Slip in Situ Polyurethane Floor Resin RAL. 7047
- Floor Type : Self Leveling Cement over Concrete



- Floor System : FL.301 Non Slip in Situ Polyurethane Floor Resin RAL. 7047
- Floor Type : Self Leveling Cement over Concrete



- Floor System : FL.201 Primer with Non Slip Continuous Polyurethane Top Coat Color Sealer Floor Paint RAL. 7037
- Floor Type : Self Leveling Cement over Concrete



- Floor System : FL.301 Non Slip in Situ Polyurethane Floor Resin RAL. 7047
- Floor Type : Self Leveling Cement over Concrete



- Floor System : FL.301 Non Slip in Situ Polyurethane Floor Resin RAL. 7047
- Floor Type : Self Leveling Cement over Concrete





AL THUMAMA STADIUM  
GRINDING / SCARIFYING  
AND  
SELF LEVELING  
WORKS

- Floor System : Self Leveling - Primer Application
- Floor Type : Concrete



- Floor System : Self Leveling – Primer Application
- Floor Type : Concrete



- Floor System : Self Leveling – Spike Roll
- Floor Type : Concrete



- Floor System : Self Leveling – Spike Roll
- Floor Type : Concrete



- Floor System : Self Leveling Cement Application to Required FFL.
- Floor Type : Concrete



- Floor System : Self Leveling Cement
- Floor Type : Concrete



- Floor System : Self Leveling Cement
- Floor Type : Concrete





- Floor System : Self Leveling Cement
- Floor Type : Concrete



- Floor System : Self Leveling Cement
- Floor Type : Concrete



Grinding Machine with Diamond Cutting Tools,  
Grinding to achieve required FFL.



Grinding Machine with Scarifying Tools,  
Grinding to achieve required FFL.



Scarifying Machine  
Cutting to achieve Required FFL.



Scarifying Machine  
Cutting to achieve required FFL.



Scarifying Machine  
Cutting to achieve required FFL.




# RAS ABU ABU STADIUM FLOOR DIVISION WORKS





- Floor System : FL.302 Primer coated based on epoxy resin, epoxy-polyurethane liquid plastic with quartz sand filling. Red RAL. 3020
- Floor Type : Steel Slab



- Floor System : FL.302 Primer coated based on epoxy resin, epoxy-polyurethane liquid plastic with quartz sand filling. Red RAL. 3020
- Floor Type : Steel Slab



- Floor System : FL.301 Non slip continuous in situ polyurethane Floor resin. Beige RAL 1013
- Floor Type : Steel Slab



- Floor System : FL.301 Non slip continuous in situ polyurethane Floor resin. Beige RAL 1013
- Floor Type : Steel Slab



- Floor System : FL.201 Primer with non slip polyurethane topcoat color sealer Floor paint. Gray RAL 7045
- Floor Type : Concrete



- Floor System : FL.201 Primer with non slip polyurethane topcoat color sealer Floor paint. Gray RAL 7045
- Floor Type : Concrete



- Floor System : Application of Primer with Aggregate SR#3
- Floor Type : Steel Slab



- Floor System : Application of Primer with Aggregate SR#3
- Floor Type : Steel Slab





- Floor System : Application of Self Leveling Cement
- Floor Type : Steel Slab



- Floor System : Application of Self Leveling Cement
- Floor Type : Steel Slab



END